

SDS REVISION DATE: 10/24/2019

1 - PRODUCT and COMPANY IDENTIFICATION

PRODUCT NAME: SODIUM HYPOCHLORITE, SOLUTION

PRODUCT NUMBER:....07905

CHEMICAL NAME/CLASS/SYNONYMS:SODIUM HYPOCHLORITE SOLUTION

RECOMMENDED USE: SWIMMING POOL CHLORINATOR, HARD SURFACE CLEANER,

MILDECIDE, WATER TREATMENT CHEMICAL, BIOCIDES, BLEACH SOLUTIONS AND BLEACH FIXER SOLUTIONS

DISTRIBUTOR: VIKING CHEMICAL

1827 - 18TH AVENUE

P.O. BOX 1595

ROCKFORD, IL 61110

(815) 397-0500

EMERGENCY PHONE: (800) 424-9300 (CHEMTREC)

2 - HAZARDS IDENTIFICATION

GHS CLASSIFICATION:

Substance or Mixture Corrosive to Metal (1)

Skin Corrosion/Irritation (1)

Serious Eye Damage/Eye Irritation (1)

Target Organ Toxicity- Single Exposure (Respiratory Tract Irritation) (3)

Acute Aquatic Toxicity (1) Chronic Aquatic Toxicity (2)

GHS LABEL:







SIGNAL WORD: Danger

HAZARD STATEMENTS:

H290: May be corrosive to metals

H314: Causes severe skin burns and eye damage

H335: May cause respiratory irritation

H400: Very toxic to aquatic life

H411: Toxic to aquatic life with long lasting effects

PRECAUTIONARY STATEMENTS:

P280: Wear protective gloves/protective clothing/eye protection/face

protection

P260: Do not breathe dust/fume/gas/mist/vapours/spray P271: Use only outdoors or in a well-ventilated area P264: Wash exposed area thoroughly after handling.



P234: Keep only in original packaging.

P273: Avoid release to the environment

P301+330+331: IF SWALLOWED: Rinse mouth. Do NOT induce

vomiting

P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P303+361+353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing

P310: Immediately call a POISON CENTER/doctor/physician

P363: Wash contaminated clothing before reuse

P390 : Absorb spillage to prevent material damage. Collect spillage

P403+233: Store in a well ventilated place. Keep container tightly closed

P405: Store locked up

P406: Store in a corrosion resistant container with a resistant inner liner.

P501: Dispose of contents/container to comply with local, state and federal

regulations

3 - COMPOSITION / INFORMATION ON INGREDIENTS

SUBSTANCE/MIXTURE: MIXTURE

CHEMICAL NAMECAS NUMBERWt/Wt%SODIUM HYPOCHLORITE7681-52-95-17%SODIUM HYDROXIDE1310-73-20.3-5%

4 - FIRST-AID MEASURES

Seek immediate medical attention.

SKIN CONTACT: Remove contaminated clothing. Wash exposed area with water for at least

15 minutes. Seek medical attention. Wash contaminated clothing before

reuse.

by mouth. Do not induce vomiting. If vomiting occurs, the head should be kept low to prevent aspiration of liquid into the lungs. If possible, do not

leave individual unattended. Seek immediate medical attention.

NOTE TO PHYSICIANS: Treat symptomatically. Chemical burns: Flush with water immediately.

While flushing, remove clothes which do not adhere to affected area. Call an ambulance. With eye exposure, continue flushing during transport to

hospital.

5 - FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA: Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire. Do not use dry extinguishing media that contains ammonium compounds.

UNUSUAL FIRE AND EXPLOSION HAZARDS: During fire, gases hazardous to health may be formed.



6 - ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS: ... Wear protective equipment.

ENVIRONMENTAL PRECAUTIONS:Prevent contamination of soil, drains or surface water, use appropriate containment method to avoid environmental contamination.

MEASURES FOR CONTAINMENT AND CLEANING UP: Large Spills: Stop the flow of material, if this

is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use. For waste disposal, see Section 13 of the SDS.

7 - HANDLING and STORAGE

PRECAUTIONS FOR SAFE STORAGE, INCLUDING INCOMPATIBILITIES: Keep container tightly closed. Store in a cool and well-ventilated place. Store in a corrosive resistant container. Consult container manufacturer for additional guidance. Store away from and do not mix with incompatible materials such as acids, oxidizers, organics, reducing agents, and all metals except titanium.

8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

OCCUPATIONAL EXPOSURE LIMITS:

COMPONENT (CAS NUMBER): Sodium hydroxide (1310-73-2)

 ACGIH
 2 mg/m3 Ceiling

 OSHA
 2 mg/m3 PEL

 NIOSH
 2 mg/m3 Ceiling

COMPONENT (CAS NUMBER): Sodium hypochlorite (7681-52-9)

WEEL 2 mg/m3 STEL

APPROPRIATE ENGINEERING CONTROLS:Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency

shower must be available when handling this product.



PERSONAL PROTECTIVE EQUIPMENT:

RESPIRATORY PROTECTION: . If exposure limits are exceeded, NIOSH approved respiratory protection

should be worn. A NIOSH approved respirator for organic vapors is generally acceptable for concentrations up to 10 times the PEL. For higher concentrations, unknown concentrations and for oxygen deficient

atmospheres, use a NIOSH approved air-supplied respirator. Engineering controls are the preferred means for controlling chemical exposures. Respiratory protection may be needed for non-routine or emergency situations. Respiratory protection must be provided in accordance with

OSHA 29 CFR 1910.134.

SKIN PROTECTION: Wear appropriate chemical resistant gloves. Wear appropriate chemical

resistant clothing. Reports indicate that sodium hypochlorite can react with various fabrics usually increasing with concentration. Reactions vary significantly depending on strength of chemical, material, fabric treatment and color of dyes. FRC treated cotton has a stronger response than plain cotton. Poly blend fabrics and meta aramid fabric have a weaker response than natural fibers. Contact the Personal Protective Equipment manufacturer

for specific information about their products.

EYE PROTECTION: Wear safety glasses with side shields (or goggles) and a face shield. Wear a

full-face respirator, if needed.

ADDITIONAL MEASURES:...... Ensure that eyewash stations and safety showers are close to the

workstation location.

9 - PHYSICAL / CHEMICAL PROPERITES

APPEARANCE/ODOR: Liquid / Pungent Odor

ODOR THRESHOLD:.......... 0.9 mg/m³

pH: 12 - 14 (25 °C/77 °F)

MELTING/FREEZING POINT: -4 °F (-20 °C) (7% solution)

BOILING POINT/RANGE: N.A.

FLASH POINT:......N.A.

EVAPORATION RATE: N.A.

FLAMMABILITY: N.A.

LOWER EXPLOSIVE LIMIT: .. N.A. **UPPER EXPLOSIVE LIMIT:** N.A.

VAPOR PRESSURE:.... 12 mm Hg (20°C/68°F)

VAPOR DENSITY (AIR=1):..... N.A.

SPECIFIC GRAVITY OR RELATIVE DENSITY: 1.082 – 1.275 at 20°C (68°F)

SOLUBILITY(IES):..... Completely miscible

PARTITION COEFFICIENT: ... N.A.

AUTOIGNITION TEMP: N.A.

DECOMPOSITION TEMP: N.A.

10 - STABILITY and REACTIVITY

STABILITY: The product is stable and non-reactive under normal conditions of use,

storage and transport.

POSSIBILITY OF HAZARDOUS REACTIONS:......Hazardous polymerization does not occur.



HAZARDOUS DECOMPOSITION PRODUCTS:......No hazardous decomposition products are known.

11 - TOXICOLOGICAL INFORMATION

ROUTES OF EXPOSURE: Inhalation, ingestion, skin and/or eye contact.

SYMPTOMS OF EXPOSURE:

coughing.

INGESTION: Ingestion may cause gastrointestinal irritation, nausea, vomiting and

diarrhea. Ingestion may produce burns to the lips, oral cavity, upper airway,

esophagus and possibly the digestive tract.

ACUTE TOXICITY:..... Occupational exposure to the substance or mixture may cause adverse

effects.

LD/LC50 VALUES THAT ARE RELEVANT FOR CLASSIFICATION:

ORAL LD50 Rat 3 - 5 g/kg DERMAL LD50 Rabbit > 2 g/kg

INHALATION LC50 N.A.

ADDITIONAL TOXICOLOGICAL INFORMATION:

IARC, ACGIH, NTP, or OSHA.

12 - ECOLOGICAL INFORMATION

ECOTOXICITY (AQUATIC AND TERRESTRIAL, WHERE AVAILABLE):

Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Product Species Test Results

Sodium Hypochlorite Solution 5-17% (CAS Mixture)

Aquatic

Crustacea LC50 Daphnia 1 mg/l

Fish LC50 Bluegill (Lepomis macrochirus) 0.6 mg/l, 48 hour

PERSISTENCE AND DEGRADABILITY:No data is available on the degradability of this product.

BIOACCUMULATIVE POTENTIAL:.....No data available for this product.

MOBILITY IN SOIL: N.A.

OTHER ADVERSE EFFECTS: . No other adverse environmental effects (e.g. ozone depletion,

photochemical ozone creation potential, endocrine disruption, global

warming potential) are expected from this component.

^{*} Estimates for product may be based on additional component data not shown.

13 - DISPOSAL CONSIDERATIONS

WASTE DISPOSAL:.... Product should be disposed in an environmentally safe manner in accordance with local, state and federal regulations.

UNCLEANED PACKAGING:....'Empty' containers retain residue (liquid and/or vapor) and may be dangerous. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS OR OTHER SOURCES OF IGNITION. Do not attempt to clean since residue is difficult to remove. 'Empty' drums should be completely drained, properly bunged and should be disposed of in an environmentally safe manner and in accordance with local, state and governmental regulations. For work on tanks, please refer to Occupational Safety and Health Administration regulations. ANSI Z49.1, and other governmental and industrial references pertaining to cleaning, repairing, welding, or other governmental and industrial contemplated operations.

14 - TRANSPORTATION INFORMATION

UN/NA NUMBER: UN1791 UN PROPER SHIPPING NAME:HYPOCHLORITE SOLUTIONS TRANSPORT HAZARD CLASS:8 PACKAGING GROUP: III

MARINE POLLUTANT: Yes **REPORTABLE QUANTITY:....** N.A. SPECIAL PRECAUTIONS: N.A.

15 – REGULATORY INFORMATION

Contents of this SDS comply with the OSHA Hazard Communication Standard 29CFR 1910.1200

FEDERAL REGULATIONS:

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D): Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050): Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

SODIUM HYDROXIDE (CAS 1310-73-2): Listed SODIUM HYPOCHLORITE (CAS 7681-52-9): Listed

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories: Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely Hazardous Substance:Not listed.

SARA 311/312 Hazardous Chemical:Yes

SARA 313 (TRI reporting): Not regulated.



US STATE REGULATIONS:

US. Massachusetts RTK - Substance List:

Sodium hydroxide (CAS 1310-73-2)

Sodium hypochlorite (CAS 7681-52-9)

US. New Jersey Worker and Community Right-to-Know Act:

Sodium hydroxide (CAS 1310-73-2)

Sodium hypochlorite (CAS 7681-52-9)

US. Pennsylvania Worker and Community Right-to-Know Law:

Sodium hydroxide (CAS 1310-73-2) Sodium hypochlorite (CAS 7681-52-9)

US. Rhode Island RTK:

Sodium hydroxide (CAS 1310-73-2) Sodium hypochlorite (CAS 7681-52-9)

US. California Proposition 65: California Safe Drinking Water and Toxic Enforcement Act of 1986

(Proposition 65): This material is not known to contain any chemicals

currently listed as carcinogens or reproductive toxins.

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT) Listed substance: Not listed.

INTERNATIONAL INVENTORIES:

Country(s) or region	Inventory name On inventory (yes/	On inventory (yes/no)*	
Australia:	Australian Inventory of Chemical Substances (AICS)	Yes	
Canada:	Domestic Substances List (DSL)	Yes	
Canada:	Non-Domestic Substances List (NDSL)	No	
China:	Inventory of Existing Chemical Substances in China (IECSC)	Yes	
Europe:	European Inventory of Existing Commercial Chemical Substances		
	(EINECS)	Yes	
Europe:	European List of Notified Chemical Substances (ELINCS)	No	
Japan:	Inventory of Existing and New Chemical Substances (ENCS)	Yes	
Korea:	Existing Chemicals List (ECL)	Yes	
New Zealand:	New Zealand Inventory	Yes	
Philippines:	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes	
United States & Puerto Rico:	Toxic Substances Control Act (TSCA) Inventory	Yes	
Ψ A . !!\\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\			

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

16 – OTHER INFORMATION

DATE CREATED: 01/27/2016 **SDS REVISION DATE:** 10/24/2019

ABBREVIATIONS AND ACRONYMS:

ACGIH - American Conference of Governmental Industrial Hygienists

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).



CAS - Chemical Abstract Service Number

DOT – U.S. Department of Transportation

IDLH - Immediately dangerous to life and health

N.A. – Not Available

NIOSH - National Institute of Occupational Safety and Health

NTP - National Toxicology Program

OSHA - Occupational Safety and Health Administration

PEL – Permissible exposure Limit

ppm - Parts per million

RCRA – Resource Conservation and Recovery Act

SARA – Superfund Amendments and Reauthorization Act

TLV – Threshold Limit Value

TSCA – Toxic Substances Control Act

DISCLAMER: The information contained herein is accurate to the best of our knowledge. No warranty of any kind, expressed or implied, concerning the safe use of this material in your process or in combination with other substances.